STAGE 1 box 1

Safe angles of fire:



Reduced to the height of the backstops.

STAGE 2 box 2



Targets:	5x IPSC Targets, 2 x IPSC Metal Plates
Minimum number of rounds:	12
Starting position:	Competitor standing erect, with the firearm in the ready condition, held in both hands, stock is touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards and muzzle pointing downrange with the fingers outside the trigger guard.
Time starts:	Audible signal
The Firearm Ready Condition:	Loaded (Option 1),
Procedure	After audible signal engage the targets.
Safe angles of fire:	Reduced to the height of the backstops.

STAGE 3 box 3



Targets: Minimum number of	15x IPSC Targets, 2 x IPSC Poppers, 3 X IPSC Metal Plates 35
rounds:	
Starting position:	Competitor standing erect, with the firearm in the ready condition, held in both hands, stock is touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards and muzzle pointing downrange with the fingers outside the trigger guard.
Time starts:	Audible signal
The Firearm Ready	Loaded (Option 1)
Condition:	
Procedure:	After audible signal engage the targets. IPSC Popper 1 activates T 3.
	Targets will remain visible at rest.
Safe angles of fire:	Reduced to the height of the backstops.

STAGE 4 box 4



10x IPSC Targets, 3 x IPSC Poppers, 1 x IPSC Metal Plate 24
Competitor standing erect, with the firearm in the ready condition, held in both hands, stock is touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards and muzzle pointing downrange with the fingers outside the trigger guard.
Audible signal
Loaded (Option 1)
After audible signal engage the targets.
Reduced to the height of the backstops.

STAGE 5 box 5, 6



Targets: Minimum number of rounds:	4x IPSC Targets, 3 x IPSC Poppers, 1 X IPSC Metal Plate 12
Starting position:	Competitor standing erect, with the firearm in the ready condition, held in both hands, stock is touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards and muzzle pointing downrange with the fingers outside the trigger guard.
Time starts:	Audible signal
The Firearm Ready	Loaded (Option 1)
Condition:	
Procedure:	After audible signal engage the targets. IPSC Popper 1 activates T 2. Targets will remain visible at rest.
Safe angles of fire:	Reduced to the height of the backstops.

STAGE 6 box 7, 8



Targets: Minimum number of rounds:	5 x IPSC Targets, 1 x IPSC Popper, 1 x IPSC Metal Plate 12
Starting position:	Competitor standing erect, with the firearm in the ready condition, held in both hands, stock is touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards and muzzle pointing downrange with the fingers outside the trigger guard.
Time starts:	Audible signal
The Firearm Ready Condition:	Loaded (Option 1)
Procedure:	After audible signal engage the targets. IPSC Popper 1 activates IPSC Targets 3, 4. IPSC Targets will remain visible at rest.
Safe angles of fire:	Reduced to the height of the backstops.

STAGE 7 box 10,11



Targets: Minimum number of rounds:	8x IPSC Targets,5x IPSC Poppers, 3x IPSC Metal Plates 24
Starting position:	Competitor standing erect, with the firearm in the ready condition, held in both hands, stock is touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards and muzzle pointing downrange with the fingers outside the trigger guard.
Time starts:	Audible signal
The Firearm Ready	Loaded (Option 1),
Condition:	
Procedure:	After audible signal engage the targets
Safe angles of fire:	Reduced to the height of the backstops.

STAGE 8 box 12

Ν	MP 1,2	SC P 1	IPSC P 2,3
		() T2	P MP 3
T1			T3
Targets: Minimum number of rounds:	3 x IPSC Targets, 3x IF 12	PSC Poppers. 3x	IPSC Metal plates
Starting position: Time starts: The Firearm Ready	both hands, stock is to the ground, trigger gua	buching the competer and downwards and	rm in the ready condition, held in etitor at hip level, barrel parallel to d muzzle pointing downrange with ft or right foot touching blue line.
Condition: Procedure:	After audible signal en Metal plates 1, 2. IPSC		IPSC Popper 1 activates IPSC remain visible at rest.

Safe angles of fire: Reduced to the height of the backstops.



Safe angles of fire: Reduced to the height of the backstops.

rounds:



After audible signal engage the targets. Reduced to the height of the backstops.

Procedure:

Safe angles of fire:

STAGE 11 box 19



Targets:	10 x IPSC Targets, 3 x IPSC Poppers,1 x IPSC Metal Plate
Minimum number of rounds:	24
Starting position:	Competitor standing erect, with the firearm in the ready condition, held in both hands, stock is touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards and muzzle pointing downrange with the fingers outside the trigger guard.
Time starts:	Audible signal
The Firearm Ready	Loaded (Option 1).
Condition:	
Procedure:	After audible signal engage the targets.
Safe angles of fire:	Reduced to the height of the backstops.

STAGE 12 box 20

	IPSC P 1,2 MP 4
	T1 T2 MP 3
	T3 T 1,2
Targets: Minimum number of rounds:	3x IPSC Targets, 2x IPSC Poppers, 4x IPSC Metal Plates 12
Starting position: Time starts: The Firearm Ready Condition:	Competitor standing erect, with the firearm in the ready condition, held in both hands, stock is touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards and muzzle pointing downrange with the fingers outside the trigger guard. Audible signal Loaded (Option 1)
Procedure: Safe angles of fire:	After audible signal engage the targets. Reduced to the height of the backstops.